

Publications for David A. Hart. 2006-2009 (out of 345 total)

1. Hildebrand KA, Zhang M, Hart DA. Joint capsule matrix turnover in a rabbit model of chronic joint contracture: correlation with human contractures. *J Orthop. Res.*, 2006 May; 24 (5): 1036-43.
2. Hildebrand KA, Zhang M, and Hart DA. Evidence for a high rate of matrix turnover in chronic human elbow contractures. *Clin Orthop.* 439:228-234 (2005).
3. Beye JA, Hart DA, Bray RC, Seerattan RA, McDougall JJ, Leonard CA, Reno CR, and Salo PT. Denervation alters mRNA levels for repair-associated genes in a rabbit MCL injury model. *J Orthop Res.* 2006 Sep; 24 (9): 1982-53
4. Lu T, Achari Y, Sciore P, Hart DA. Estrogen receptor alpha regulates matrix metalloproteinase-13 promoter activity primarily through the AP-1 transcriptional regulatory site. *Biochim Biophys Acta.* 2006 Aug; 1762(8):719-31. Epub 2006 Jul 4.
5. Natsu-ume T, Majima T, Reno C, Shrive NG, Frank CB, and Hart DA. Evidence that menisci of the rabbit knee require mechanical loading to maintain homeostasis: Cyclic hydrostatic compression in vitro prevents depression of catabolic genes. *Journal of Orthopaedic Science.*10:396-405 (2005).
6. Bray RC, Salo PT, Lo IK, Ackermann P, Rattner JB, Hart DA. Normal ligament structure, physiology, and function. *Sports Med Arthroscopy Rev.*, 13:127-135 (2005). (Peer Reviewed)
7. Hart DA, Shrive NG, Goulet F. Tissue engineering of ACL replacements. *Sports Med Arthroscopy Rev.* 13:170-176 (2005). (Peer Reviewed)
8. Hildebrand KA, Gallant-Behm CL, Kydd AS, Hart DA. The basics of healing and general factors that influence healing. *Sports Med Arthroscopy Rev.* 13:136-144 (2005). (Peer Reviewed)
9. Wiig M, Berglund M, Reno C, Hart DA. Patterns of mRNA expression for matrix molecules and growth factors in a rabbit flexor tendon injury in vivo: Evidence for differences in the regulation of healing in the tendon and tendon sheath. *J Hand Surg (Am).* 2006;31(8):1279-1287.
10. Stewart CJ, Gallant-Behm CL, Forrester K, Tulip J, Hart DA, Bray RC. Kinetics of blood flow during healing of excisional full-thickness skin wounds in pigs as monitored by laser speckle perfusion imaging. *Skin Res Technol.* 2006 Nov; 12(4):247-253.
11. Gallant-Behm CL, Olson ME, Hart DA. Cytokine and growth factor mRNA expression patterns associated with the hypercontracted, hyperpigmented healing phenotype of red Duroc pigs: a model of abnormal human scar development. *J Cutaneous Med Surg.* 9:165-177 (2006).
12. Gallant-Behm CL, Reno C, Tsao H, and Hart DA. Characterization of genetic involvement in skin wound healing in domestic pigs: Assessment of molecular expression patterns in [Yorkshire x red Duroc] x Yorkshire backcross animals. *J Invest Dermatol.* 127:233-244 (2006).
13. Kupper JC, Loitz-Ramage B, Corr DT, Hart DA, Ronsky JL. Measuring joint laxity: A review of applicable knee models and the need for new approaches to minimize intra- and inter-subject variability. *Clinical Biomechanics*, 2006 Oct 20 22: 1-13 (2007).
14. Kydd AS, Reno CR, Tsao H, and Hart DA. Early inflammatory arthritis in a rabbit model: The influence of intra-articular and systemic corticosteroids on mRNA levels in connective tissues of the knee. *J. Rheumatology.* 34: 130-139 (2007).

15. Hildebrand KA, Zhang M, and Hart DA. Myofibroblast up-regulators are elevated in joint capsules in post-traumatic contractures. *Clin Rel Res Orthop*. 456:85-91 (2007).
16. Hildebrand, KA, Hart DA, Rattner JB, Marchuk L, Frank CB. Ligament Injuries: Pathophysiology, Healing and Treatment Considerations. *Scientific Foundations and Principles of Practice in Musculoskeletal Rehabilitation*, Ch 2; pp 23 – 46 (2007).
17. Banes AJ, Tsuzuki M, Wall M, Yang X, Bynum D, Hart DA, Almekinders L. The Molecular Biology of Tenocytes: Signaling and response pathways in tendinopathy models. *Proceedings of the Olympic Academy of Sports Medicine Workshop on Tendinopathy*. Athens, October 4-7, 2003. Chapter 3, pp 29 – 45 (2007).
18. Kydd AS, Tsao H, Reno C, and Hart DA. Impact of age, systemic glucocorticoids and progressive osteoarthritis on specific mRNA levels in different areas of the rabbit cornea. *Cornea*. 2007 Apr;26(3): 352-61.
19. Tateishi K, Higuchi C, Ando W, Nakata K, Hasimoto J, Hart DA, Yoshikawa H, and Nakamura N. The Immunosuppressant FK506 Promotes Development of the Chondrocytic Phenotype in Human Synovial Cells via Modulation of the Smad Signaling Pathway. *Osteoarthritis and Cartilage* 2007 June;15(6):709-18 (2007).
20. Salo PT, Bray RC, Seerattan R, Reno C, McDougall JJ, and Hart DA.. Neuropeptides regulate expression of matrix molecule, growth factor and inflammatory mediator mRNA in explants of normal and healing medial collateral ligaments. *Journal of Regulatory Peptides*, Volume 142:1-2, pgs 1-6, 2007.
21. Scott A, Cook J, Hart D, Walker, D, Duronio V, Khan K. Tenocyte responses to mechanical loading *in vivo*: A role for local IGF-I signaling in early tendinosis. *Arthritis Rheum*. 2007 Feb 27;56(3):871-881.
22. Funakoshi Y, Hariu M, Tapper JE, Marchuk LL, Shrive NG, Kanaya F, Hart DA, Frank CB. Periarticular ligament changes following ACL/MCL transaction in an ovine stifle joint model of osteoarthritis. *J Orthop Res*. 25:997-1006, 2007.
23. Frank, CB, Shrive, NG, Lo IKY, Hart DA. Form and Function of Tendon and Ligament. Chapter 11, pp 191 - 222 *Orthopaedic Basic Science Foundation of Clinical Practice*. 2007
24. Sonoda KH, Najamura T, Young H, Hart DA, Carmeliet P, and Stein-Streilein J. NKT cell derived urokinase-type plasminogen activator promotes peripheral tolerance associated with the eye. *J Immunol* 2007 Aug 15; 179 (4): 2215-22.
25. Miller D, Forrester K, Leonard C, Hart DA, Salo P, Bray RC. Endothelial dysfunction and decreased vascular responsiveness in the anterior cruciate ligament deficient model of osteoarthritis. *Journal of Applied Physiology*, 102: 1161-1169, 2007.
26. Myers K, Shrive NG, Hart DA. A Novel Apparatus Applying Long Term Intermittent Cyclic Hydrostatic Pressure to In Vitro Cell Cultures. *J Biosci Bioeng*. 103(6):578-81 (2007).
27. Lu T, Achari Y, Rattner JB, Hart DA. Estrogen receptor beta +/- ligands can modulate the transcription of MMP-13 promoter constructs by transfected cells in vitro: Evidence that ER-beta and ER-alpha influence expression differently. *Biochem Cell Biol*. 85:326-336 (2007)
28. Myers K, Rattner JB, Shrive N, Hart DA. Hydrostatic pressure sensation in cells: integration into the tensegrity model. *Biochem Cell Biol*. 85:543-551 (2007)

29. Ando W, Tateishi K, Hart DA, Katakai D, Tanaka Y, Nakata K, Hashimoto J, Fujie H, Shino K, Yoshikawa H, Nakamura N. Cartilage repair using an in vitro generated scaffold-free tissue-engineered construct derived from porcine synovial mesenchymal stem cells. *Biomaterials*. 28:5462-5470 (2007).
30. Berglund M, Hart DA, Wiig M. Healing of a flexor tendon injury in a rabbit model: Temporal aspects of the inflammatory response and upregulation of hyaluronan synthases in the tendon and tendon sheath. *J Hand Surg (Br)* 32:581-587 (2007).
31. Myers K, Rattner JB, Shrive N, Hart DA. Osteoblast-like Cells and Fluid Flow: Cytoskeleton-Dependent Shear Sensitivity. *Biochem. Biophys Res Commun*. 364:214-219 (2007).
32. Scott A, Lian O, Roberts CR, Cook JL, Handley CJ, Bahr R, Samiric T, Ilic MZ, Parkinson J, Hart DA, Duronio V, and Khan KM. Increased versican content is associated with tendinosis pathology in the patellar tendon of athletes with jumper's knee. *Scand J Med Sci Sports*. 2007 Dec 7 (Epub ahead of print).
33. Scott A, Khan KM, Duronio V, Hart DA. Mechanotransduction in Human Bone: Cellular physiology that underpins bone changes with exercise. *Sports Medicine*, 2008; 38(2):139-60.
34. de Hemptinne I, Gallant-Behm C, Noack C, Parreno J, Hart DA. Dermal fibroblasts from red Duroc and Yorkshire pigs exhibit intrinsic differences in the contraction of collagen gels. *Wound Repair & Regen*, 2008 Jan-Feb; 16(1):132-42.
35. Hildebrand KA, Zhang M, Gernscheid N, Hart DA. Cellular, Matrix and Growth Factor components of the Joint Capsule are Modified Early in the Process Leading to Post-Traumatic Contracture Formation in a Rabbit Model. *Acta Orthop*. 2008 Feb; 9(1):116-25.
36. Gallant-Behm CL, Hildebrand KA, and Hart DA. The mast cell stabilizer ketotifen prevents development of excessive skin wound contraction and fibrosis in red Duroc pigs. *Wound Repair Regen*. 2008; 16(2):226-33.
37. Achari Y, Reno, C, Tsao H, Morck DW, and Hart DA. Influence of timing (pre-puberty or skeletal maturity) of ovariectomy on mRNA levels in corneal tissues of female rabbits. *Molecular Vision* 2008;14:443-445
38. Tateishi K, Ando W, Higuchi C, Hart DA, Hashimoto J, Nakata K, Yoshikawa H, Nakamura N. Comparison of human serum with fetal bovine serum for expansion and differentiation of human synovial MSC – Potential feasibility for clinical applications. *Cell Transplantation*. 2008;17(5):549-57.
39. Beye J, Salo P, Bray R, and Hart DA. Injury Induced Changes in mRNA Levels Differ Widely Between Anterior Cruciate Ligament and Medial Collateral Ligament. *Am J Sports Med*. 2008; 36:1337-46.
40. Hildebrand KA, Zhang M, Salo PT, Hart DA. Joint capsule mast cells and neuropeptides are increased within four weeks of injury and remain elevated in chronic stages of post traumatic contractures. *J Orthop Res*. 2008; 26(10):1313-9.
41. Bring D, Reno C, Renstrom P, Salo P, Hart D, Ackermann P. Joint immobilization leads to a reduction in the expression of sensory neuropeptide receptors and impaired healing after Achilles tendon rupture in a rat model. *J of Ortho Res*. 2009;27(2):274-80.
42. Achari Y, Lu T, Hart DA. Polymorphisms in the promoter regions for human MMP-1 and MMP-13 lead to differential responses to the alpha and beta isoforms of estrogen receptor and their ligand in vitro. *Biochimica et Biophysica Acta*. 2008 Jun;1782(6):391-400.

43. Parreno J, Buckley-Herd G, de-Hemptinne I, Hart DA. Osteoblastic MG-63 cell differentiation, contraction, and mRNA expression in stress-relaxed 3D collagen I gels. *Cell Mol Biol* 2008. Oct;317(1-2): 21-32.
44. Scott A, Lian Ø, Bahr R, Hart D, Duronio, V, Khan. Increased mast cell numbers in human patellar tendinosis: correlation with symptom duration and vascular hyperplasia. *Br. J. Sports Med.* 2008;42;753-757.
45. Ando W, Tateishi K, Katakai D, Hart DA, Higuchi C, Nakata K, Hashimoto J, Fujie H, Shino K, Yoshikawa H, Nakamura N. In Vitro Generation of a Scaffold-Free Tissue-Engineered Construct (TEC) Derived from Human Synovial Mesenchymal Stem Cells: Biological and Mechanical Properties, and Further Chondrogenic Potential. *Tissue Eng Part A* 2008 Dec;14(12):2041-9.
46. Scott A, Lian O, Bahr R, Hart DA, Duronio V. VEGF expression in patellar tendinopathy: a preliminary study. *Clin Orthop Relat Res.* 2008 Jul;466(7):1598-604.
47. Bonnelye E, Laurin N, Judric P, Hart DA, Aubin JE. Estrogen Receptor-Related Receptor Alpha Regulates Cartilage Formation and Dysregulated Inflammatory Arthritis *Rheumatol (Oxford)*, 2008. Dec; 47:1785-1791.
48. Park, Sang-Kyoon, Stefanyshyn D, Loitz-Ramage B, Hart DA, Ronsky J. Changing Hormone levels during the Menstrual Cycle affect Knee Laxity and Stiffness in Healthy Females. *Am J Sports Med.* 2009 Mar;37(3):588-98.
49. Hart DA, Achari Y. Alterations to Cell Metabolism in Connective Tissues of the Knee after Ovariohysterectomy in a Rabbit Model: Are there implications for the post-menopausal athlete? *Br J Sport Med.* 2009 Jan 9.
50. Thornton GM, Shao X, Chung M, Sciore P, Boorman RS, Hart DA, Lo IKY. Changes in mechanical loading lead to tendon-specific alterations in MMP and TIMP expression: Influence of stress-deprivation and intermittent cyclic hydrostatic compression on rat supraspinatus and Achilles tendons. *Brit J Sports Med*, 2008 Sept 18 [Epub ahead of print]
51. Park SK, Stefanyshyn D, Loitz-Ramage B, Hart DA, Ronsky J. Alterations in knee joint laxity during the menstrual cycle in healthy females leads to increases in joint loads during athletic movements. *Br J Sport Med* 2009 Jun;37(6): 1169-77.
52. Matsusaki M, Kadowaki K, Tateishi K, Higuchi Ca, Ando W, Hart DA, Tanaka Y, Take Y, Akashi M, Yosikawa H, Nakamura N. Scaffold-Free Tissue-Engineered Construct-Hydroxyapatite Composites Generated by an Alternate Soaking Process: Potential for Repair of Bone Defects. *Tissue eng Part A.* 2009 Jan;15(1):55-63.
53. Hildebrand KA, Zhang M, Germschied NM, Wang C, Hart DA. Cellular, matrix, and growth factor components of the joint capsule are modified early in the process of posttraumatic contracture formation in a rabbit model. *Acta Orthop.*2008 Feb; 79(10):116-25.
54. Corr D, Gallant-Behm CL, Shrive NG, Hart DA. The biomechanical behavior of scar tissue and uninjured skin in a porcine model. *Wound Repair Regen* 2009 Mar-Apr;17(2):250-9.
55. Ackermann P, Salo P, and Hart DA. Neuronal influences on tendon healing. *Frontiers in Bioscience.* 2009 Jun 1;14:5165-5187.

56. Matsusaki M, Kadowaki K, Tateishi K, Higuchi C, Ando W, Hart DA, Tanaka Y, Take Y, Akashi M, Yoshikawa H, and Nakamura N. Scaffold-free tissue engineered construct-hydroxyapatite composites generated by an alternate soaking process: potential for repair of bone defects. *Tissue Engineering, Part A* 2009. 2009 Jan;15(1):55-63.
57. Park SK, Stefanyshyn D, Loitz-Ramage, B, Hart DA, Ronsky JL. The relationship between Knee Joint Laxity and Knee Joint Mechanics during the Menstrual Cycle. *Brit J Sport Med*, 2009 Mar; 43(3):174-9.
58. Achari Y, Lu T, Katzenellenbogen B, Hart DA. Distinct roles for AF-1 and -2 of ER-alpha in regulation of MMP-13 promoter activity. *Biochimica et Biophysica Acta*. 2009 Mar: 1792(3):211-20.
59. Liang S, Salo P, Hart DA, Burt H. Intra-articular treatment arthritis with microsphere formulations of methotrexate: pharmacokinetics and efficacy determination in antigen induced arthritic rabbits. *Inflammation Research*. 2009 Aug;58(8): 445-56. Epub 2009 Mar 6.
60. Eslami A, Gallant-Behm C, Hart DA, Weibe C, Honardoust D, Gardner H, Hakkinen L, Larjava H. Expression of integrin alpha v beta 6 and TGF-beta in scarless vs scar-forming wound healing. *Journal of Histochemistry and Cytochemistry*. 2009 June;57(6):543-57. .Epub 2009 Feb 16.
61. Miller D, Salo P, Hart DA, Leonard C, Mammoto T, Bray RC. Neural stimulation does not mediate attenuated vascular response in ACL-deficient knees: Potential role of local inflammatory mediators. *J Orthop Res* 2009 July 20. [Epub ahead of print]
62. Bring, D, Reno C, Renstrom P, Salo P, Hart D, Ackermann P. Prolonged Immobilization Compromises Up-regulation of Repair Genes after Tendon Rupture in Rat Model. *Scand J Med Sci Sports* 2009 July 2 [Epub ahead of print]

In Press:

63. Ackerman P, Salo P, Hart D. *Gene Therapy. Chapter 20 Achilles Tendinopathy*, 2009.
64. Parreno J, Hart DA. Mechano-and molecular biology of human MG-63 mediated contraction of collagen gels: Involvement of specific intracellular signaling pathways and the cytoskeleton. *Biochem and Cell Biol*. In Press.
65. Miller D, Salo P, Hart D, Leonard C, Bray R. Denervation Exacerbates Vascular Dysfunction in the ACL Deficient Model of Osteoarthritis. *Journal of Orthop Research*. In Press 2009.
66. Achari Y, Reno CR, Morck DW, Hart DA. Influence of bilateral medial collateral ligament injury on mRNA expression, distal corneal tissues of control and ovariectomized rabbits. *Cornea*, In Press.
67. Parreno J, Hart DA. Effect of microtubule depolymerization and kinase inhibitors on gel contraction and mRNA expression by human MG- 63 cells in stress-relaxed collagen gels. *Biochem Cell Biol*, In Press.
68. Wong JW, Gallant-Behm C, Wiebe C, Mak K, Hart DA, Larjava H, Häkkinen L. Wound healing in oral mucosa results in reduced scar formation as compared to skin: Evidence from the red Duroc pig model and humans. *Wound Repair & Regen*. In Press. July 2009.
69. Sigalet D, Zubaidi A, Buie DW, Hart D. Temporal Expression of Cytokines in Rat Cutaneous, Fascial, and Intestinal Wounds: A Comparative Study. *Digestive Diseases and Sciences*. [E-pub] Aug 2009.

70. Mak K, Manji A, Gallant-Behm C, Wiebe C, Hart D, Hannu L, Hakkinen L. Scarless healing of oral mucosa is characterized by faster resolution of inflammation and control of myfibroblast action compared to skin wounds in the red Duroc pig model. *J. Dermatologic Science*. In Press. September 2009.
71. Hess R, Douglas T, Myers KA, Rentsch B, Rentsch C, Worch H, Shrive NG, Hart DA, Scharnweber D. Hydrostatic Pressure (HP) Stimulation of Human Mesenchymal Stem Cells (hMSC) Seeded on Collagen-Based Artificial Extracellular Matrices. *J Engineering Science*. In Press. August 2009.
72. Lucas KC, Hart DA, Becker RW. Porcine proximal tubular cells (LLC-PK1) are able to tolerate high levels of lithium chloride in vitro: Assessment of 1-20 mM LiCl influences on cell death and alterations in cell biology and biochemistry. *Cell Biology International*. In Press. October 2009.